

RECEIVED
CENTRAL FAX CENTER

Appl. No. 10/613,296

Docket No. 9322

Amdt. dated August 15, 2007

Reply to Office Action mailed on May 4, 2007

Customer No. 27752

AUG 15 2007

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An absorbent article having a longitudinal axis and a periphery, the absorbent article comprising,
 - a. a fluid permeable facing layer, at least portions of which having facing layer zones of enhanced extensibility;
 - b. a first absorbent layer joined to the facing layer, the first absorbent layer comprising at least one first absorbent layer zone[[s]] of extensibility, each said the at least one first absorbent layer zone of extensibility being a region of the first absorbent layer of relatively higher extensibility than regions of the first absorbent layer adjacent to the at least one first absorbent zone of extensibility, the at least one first absorbent layer zone of extensibility being in registry with the facing layer zones of enhanced extensibility;
 - c. a liquid impermeable backsheet joined to the facing layer at the periphery, the liquid impermeable backsheet having a garment facing surface;
 - d. fastening means disposed on at least a portion of the garment facing surface of the liquid impermeable backsheet, the fastening means defining attachment zones; and
 - e. wherein at least a portion of the at least one first absorbent layer zone of extensibility is decoupled from the attachment zones of the fluid impermeable backsheet.
2. (Currently amended) The absorbent article of Claim 1, wherein the at least one first absorbent layer zone[[s]] of extensibility comprises openings defining slits.
3. (Withdrawn) The absorbent article of Claim 1, wherein the zones of extensibility comprise incrementally-stretched rib-like elements.
4. (Cancelled)

Appl. No. 10/613,296
Docket No. 9322
Amdt. dated August 15, 2007
Reply to Office Action mailed on May 4, 2007
Customer No. 27752

5. (Currently amended) The absorbent article of Claim 1, further comprising a second absorbent layer, the second absorbent layer disposed between the first absorbent layer and the backsheet and being joined to the backsheet, and wherein the at least a portion of the first absorbent layer is decoupled from both the second absorbent layer and the attachment zones of the fluid impermeable backsheet.
6. (Original) The absorbent article of Claim 1, wherein the first absorbent layer is substantially continuously joined to the facing layer.
7. (Cancelled)
8. (Cancelled)
9. (Currently amended) The absorbent article of Claim 8, wherein the joining of the facing layer and the first absorbent layer is substantially limited to the portions of the facing layer intermediate the at least one first absorbent layer zone[[s]] of enhanced extensibility.
10. (Currently amended) The absorbent article of Claim 1, wherein each said the at least one first absorbent layer zone of extensibility defines a generally linear pattern of openings defining slits, the generally linear pattern being oriented obliquely to the longitudinal axis.
11. (Currently amended) The absorbent article of Claim 1, wherein each said the at least one first absorbent layer zone of extensibility defines a V-shaped pattern symmetric about the longitudinal axis.
12. (Original) The absorbent article of Claim 1, wherein the facing layer comprises a topsheet and a secondary topsheet.

Appl. No. 10/613,296
Docket No. 9322
Amdt. dated August 15, 2007
Reply to Office Action mailed on May 4, 2007
Customer No. 27752

13. (Original) The absorbent article of Claim 1, wherein the facing layer comprises an apertured, formed film.
14. (Original) The absorbent article of Claim 1, wherein the facing layer comprises a nonwoven web.
15. (Original) The absorbent article of Claim 1, wherein the absorbent article is a catamenial device.
16. (Cancelled)
17. (Cancelled)
18. (Cancelled)
19. (Cancelled)